NSN 5306-00-269-6979

Machine Bolt - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5306-00-269-6979

3a
Thread Direction:
Right-hand
Thread Length:
0.750 inches
Fastener Length:
1.188 inches
Head Style:
Hexagon
Head Height:
0.188 inches
Width Between Flats:
Between 0.430 inches and 0.439 inches
Hole Diameter:
0.070 inches
Thread Diameter:
0.250 inches
Grip Length:
0.438 inches
Hole Quantity:
1
11.1
Hole Type:
Drilled
Drilled
Drilled Features Provided:
Drilled Features Provided: Finished head
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi):
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating:
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style:
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Surface Finish:
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Surface Finish: 63.0 microinches grip
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Surface Finish: 63.0 microinches grip Material:
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Surface Finish: 63.0 microinches grip Material: Steel comp 8740
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Surface Finish: 63.0 microinches grip Material: Steel comp 8740 Material Specification:
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Surface Finish: 63.0 microinches grip Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Surface Finish: 63.0 microinches grip Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment:

NSN 5306-00-269-6979

Machine Bolt - Page 2 of 2



Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0