## NSN 5306-00-270-9424

Machine Bolt - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5306-00-270-9424

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
1.000 inches
Fastener Length:
Between 5.979 inches and 6.000 inches
Head Style:
Hexagon
Head Height:
Between 0.226 inches and 0.243 inches
Width Between Flats:
Between 0.544 inches and 0.562 inches
Thread Diameter:
0.375 inches
Grip Length:
4.767 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
16
Min. Tensile Strength (psi):
120000 pounds per square inch
120000 pounds per square inch Hardness Rating:
Hardness Rating:
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification:
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification:
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard:
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard: 1 type and 5 grade
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard: 1 type and 5 grade Shelf Life:
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard: 1 type and 5 grade Shelf Life: N/a
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard: 1 type and 5 grade Shelf Life:
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard: 1 type and 5 grade Shelf Life: N/a Unit Of Measure:
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard: 1 type and 5 grade Shelf Life: N/a Unit Of Measure:  Demilitarization:
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard: 1 type and 5 grade Shelf Life: N/a Unit Of Measure:  Demilitarization: No
Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Material: Steel Material Specification: Sae gr 5 assn standard single material response Thread Series Designator: Unc Specification Or Standard: 1 type and 5 grade Shelf Life: N/a Unit Of Measure:  Demilitarization: