
NSN 5306-00-282-2190

Internal Wrenching Bolt - Page 1 of 2





2nd material response or

Thread Class:	
Ba	
Thread Direction:	
Right-hand	
Thread Length:	
Between 0.5475 inches and 0.5775 inches	
Fastener Length:	
Between 3.0475 inches and 3.0775 inches	
Head Style:	
Bevel-conical	
Head Diameter:	
Between 0.523 inches and 0.531 inches	
Head Height:	
0.276 inches	
Hole Diameter:	
0.055 inches	
nternal Drive Style:	
Hexagon	
Fhread Diameter:	
0.312 inches	
Nidth Across Flats:	
Setween 0.313 inches and 0.315 inches	
Hole Quantity:	
3	
Hole Type:	
Drilled	
Fhready Qty Per Inch (tpi):	
24	
Min. Tensile Strength (psi):	
160000 pounds per square inch	
Hole Configuration Style:	
Round	
Material:	
Steel comp e4340 or steel comp 8740 or steel comp 6150	
Material Specification:	
Ail-s-5000 cond c4 military specification 1st material response or mil-s-6049 cond c4 military specific	ation
nil-s-8503 cond c4 military specification 3rd material response	
Surface Treatment:	
Cadmium	
Thread Series Designator:	
Jnf	
Shelf Life:	
√/a	

NSN 5306-00-282-2190

Internal Wrenching Bolt - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5000 spec.

