

View Online at <https://aerobasegroup.com/nsn/5306-00-285-8426>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 0.970 inches and 1.000 inches

Fastener Length:

7.997 inches

Head Style:

Hexagon extended washer

Head Height:

0.953 inches

Width Between Flats:

Between 1.296 inches and 1.315 inches

Extended Washer Diameter:

2.250 inches

Extended Washer Thickness:

0.180 inches

Shoulder Diameter:

1.4990 inches and 1.4998 inches first shoulder

Shoulder Length:

6.787 inches first shoulder

Shank Unthreaded Hole Diameter:

0.169 inches and 0.175 inches first hole

Thread Diameter:

0.875 inches

Thready Qty Per Inch (tpi):

14

Min. Tensile Strength (psi):

270000 pounds per square inch

Distance From Head Largest Bearing Surface To Shank Hole Center:

7.781 inches and 7.791 inches first hole

Shoulder Shape:

Round first shoulder

Product Name:

Navy special project

Material:

Steel

Material Specification:

C-05-1190, fscm 36659 mfr ref single material response

Surface Treatment:

Chromium

Surface Treatment Specification:

Lc+77-2035, fscm 36659 mfr ref single treatment response

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0