

View Online at <https://aerobasegroup.com/nsn/5306-00-288-1912>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 2.935 inches and 3.012 inches

**Fastener Length:**

Between 2.995 inches and 3.042 inches

**Head Style:**

Hexagon

**Head Height:**

0.562 inches

**Width Between Flats:**

Between 1.015 inches and 1.027 inches

**Hole Diameter:**

0.070 inches

**Thread Diameter:**

0.750 inches

**Hole Quantity:**

3

**Hole Type:**

Drilled

**Features Provided:**

Finished head

**Thready Qty Per Inch (tpi):**

16

**Min. Tensile Strength (psi):**

160000 pounds per square inch

**Hardness Rating:**

36.0 rockwell c and 40.0 rockwell c

**Hole Configuration Style:**

Hexagon corners

**Material:**

Steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 4130

**Material Specification:**

Mil-s-5626 military specification 1st material response or mil-s-6049 military specification 2nd material response or mil-s-6098 military specification 3rd material response or mil-s-6758 military specification 4th material response

**Surface Treatment:**

Cadmium

**Thread Series Designator:**

Unjf

**Specification Data:**

80205-nas 572 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A003b0

**Mil-std (military Standard):**

Mil-s-5626 spec.