Machine Bolt - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5306-00-297-8753



2a Thread Direction: Right-hand Thread Length: 0.594 inches Fastener Length: Between 1.440 inches and 1.540 inches Head Style: Hexagon Head Height: Between 0.272 inches and 0.316 inches Width Between Flats: Between 0.603 inches and 0.625 inches Hole Diameter: 0.064 inches Patheine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provide: Finished head
Right-handThread Length:0.594 inchesFastener Length:Between 1.440 inches and 1.540 inchesHead Style:Head Style:HexagonHead Height:Between 0.272 inches and 0.316 inchesWidth Between Flats:Between 0.603 inches and 0.625 inchesHole Diameter:0.064 inchesHole number:0.438 inchesHole Quantity:11Hole Type:DilledFasters Provided:
Tread Length:0.594 inchesFastener Length:Between 1.440 inches and 1.540 inchesHead Style:Head Style:HexagonHead Height:Between 0.272 inches and 0.316 inchesWidth Between Flats:Between 0.603 inches and 0.625 inchesHole Diameter:0.064 inchesEnd Application:Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browingThread Diameter:0.438 inchesHole Quantity:1Hole Type:DrilledFeatures Provided:
0.594 inches Fastener Length: Between 1.440 inches and 1.540 inches Head Style: Hexagon Head Height: Between 0.272 inches and 0.316 inches Width Between Flats: Between 0.603 inches and 0.625 inches Hole Diameter: 0.064 inches End Application: Nachine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
Fastener Length:Between 1.440 inches and 1.540 inchesHead Style:Head Style:HexagonHead Height:Between 0.272 inches and 0.316 inchesWidth Between Flats:Between 0.603 inches and 0.625 inchesHole Diameter:0.064 inchesHole outling:Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browingThread Diameter:0.438 inchesHole Quantity:1Fole Type:DrilledFeatures Provided:
Between 1.440 inches and 1.540 inches Head Style: Hexagon Head Height: Between 0.272 inches and 0.316 inches Width Between Flats: Between 0.603 inches and 0.625 inches Hole Diameter: 0.064 inches End Application: Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
Head Style: Hexagon Head Height: Between 0.272 inches and 0.316 inches Width Between Flats: Between 0.603 inches and 0.625 inches Hole Diameter: 0.064 inches End Application: Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
HexagonHead Height:Between 0.272 inches and 0.316 inchesWidth Between Flats:Between 0.603 inches and 0.625 inchesHole Diameter:0.064 inchesEnd Application:Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browingThread Diameter:0.438 inchesHole Quantity:1Hole Type:DrilledFeatures Provided:
Head Height:Between 0.272 inches and 0.316 inchesWidth Between Flats:Between 0.603 inches and 0.625 inchesHole Diameter:0.064 inchesEnd Application:Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browingThread Diameter:0.438 inchesHole Quantity:1Jinel Type:DrilledFeatures Provided:
Between 0.272 inches and 0.316 inches Width Between Flats: Between 0.603 inches and 0.625 inches Hole Diameter: 0.064 inches End Application: Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
 Width Between Flats: Between 0.603 inches and 0.625 inches Hole Diameter: 0.064 inches End Application: Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
Between 0.603 inches and 0.625 inches Hole Diameter: 0.064 inches End Application: Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
Hole Diameter:0.064 inchesEnd Application:Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browingThread Diameter:0.438 inchesHole Quantity:1Hole Type:DrilledFeatures Provided:
0.064 inches End Application: Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
End Application: Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
Machine gun, grenade, 40mm; tank, combat, ft, 120mm gun; machinegun, 50 cal, browing Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
Thread Diameter: 0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
0.438 inches Hole Quantity: 1 Hole Type: Drilled Features Provided:
Hole Quantity: 1 Hole Type: Drilled Features Provided:
1 Hole Type: Drilled Features Provided:
Hole Type: Drilled Features Provided:
Drilled Features Provided:
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
20
Min. Tensile Strength (psi):
60000 pounds per square inch
Hardness Rating:
70.0 rockwell b and 100.0 rockwell b
Hole Configuration Style:
Round
Material:
Steel
Material Specification:
Sae gr 1 assn standard single material response
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification all treatment responses

NSN 5306-00-297-8753

Machine Bolt - Page 2 of 2



Thread Series Designator:

Unf

Specification Or Standard:

2 type

Departure From Cited Designator:

As modified by thd Ig

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0