NSN 5306-00-302-5465



Shoulder Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-302-5465 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.620 inches and 0.700 inches **Fastener Length:** 2.700 inches **Head Style:** Dee chamfer **Head Diameter:** 0.840 inches **Head Height:** 0.200 inches **Distance From Centerline To Flat:** Between 0.290 inches and 0.300 inches **Shoulder Diameter:** 0.386 inches and 0.388 inches first shoulder **Shoulder Length:** 1.920 inches first shoulder **Shank Unthreaded Hole Diameter:** 0.094 inches and 0.101 inches first hole **Thread Diameter:** 0.375 inches Thready Qty Per Inch (tpi): 24 Hardness Rating: 32.0 rockwell c and 36.0 rockwell c Distance From Head Largest Bearing Surface To Shank Hole Center: 2.540 inches and 2.550 inches first hole **Shoulder Shape:** Round first shoulder **Product Name:** Navy special project Material: Steel comp 8735 **Material Specification:** Ams 6320 assn standard single material response

Thread Series Designator: Unf

Shelf Life:

N/a

NSN 5306-00-302-5465 Shoulder Bolt - Page 2 of 2



		eas	

Demilitarization:

No

Fiig:

A003b0