## NSN 5306-00-350-3015

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-350-3015

Thread Class
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
1.250 inches
Fastener Length:
1.500 inches
Head Style:
Hexagon
Head Height:
0.312 inches
Width Between Flats:
0.750 inches
Thread Diameter:
0.500 inches
Grip Length:
0.250 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
13
13
13 Min. Tensile Strength (psi):
13  Min. Tensile Strength (psi): 120000 pounds per square inch
Min. Tensile Strength (psi): 120000 pounds per square inch Hardness Rating:
Min. Tensile Strength (psi): 120000 pounds per square inch Hardness Rating: 23.0 rockwell c and 32.0 rockwell c
Min. Tensile Strength (psi): 120000 pounds per square inch Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Special Features:
Min. Tensile Strength (psi):  120000 pounds per square inch  Hardness Rating:  23.0 rockwell c and 32.0 rockwell c  Special Features:  Two drilled holes in head
Min. Tensile Strength (psi):  120000 pounds per square inch  Hardness Rating:  23.0 rockwell c and 32.0 rockwell c  Special Features:  Two drilled holes in head  Material:
Min. Tensile Strength (psi):  120000 pounds per square inch  Hardness Rating:  23.0 rockwell c and 32.0 rockwell c  Special Features:  Two drilled holes in head  Material:  Steel
Min. Tensile Strength (psi):  120000 pounds per square inch  Hardness Rating:  23.0 rockwell c and 32.0 rockwell c  Special Features:  Two drilled holes in head  Material:  Steel  Material Specification:
Min. Tensile Strength (psi):  120000 pounds per square inch  Hardness Rating:  23.0 rockwell c and 32.0 rockwell c  Special Features:  Two drilled holes in head  Material:  Steel  Material Specification:  Qq-w-409, grade 5 federal specification single material response
Min. Tensile Strength (psi):  120000 pounds per square inch  Hardness Rating:  23.0 rockwell c and 32.0 rockwell c  Special Features:  Two drilled holes in head  Material:  Steel  Material Specification:  Qq-w-409, grade 5 federal specification single material response  Thread Series Designator:
Min. Tensile Strength (psi):  120000 pounds per square inch  Hardness Rating:  23.0 rockwell c and 32.0 rockwell c  Special Features:  Two drilled holes in head  Material:  Steel  Material Specification:  Qq-w-409, grade 5 federal specification single material response  Thread Series Designator:  Unc
Min. Tensile Strength (psi):  120000 pounds per square inch  Hardness Rating:  23.0 rockwell c and 32.0 rockwell c  Special Features:  Two drilled holes in head  Material:  Steel  Material Specification:  Qq-w-409, grade 5 federal specification single material response  Thread Series Designator:  Unc  Specification Or Standard:
Min. Tensile Strength (psi): 120000 pounds per square inch Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Special Features: Two drilled holes in head Material: Steel Material Specification: Qq-w-409, grade 5 federal specification single material response Thread Series Designator: Unc Specification Or Standard: 2 type and 5 grade
Min. Tensile Strength (psi): 120000 pounds per square inch Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Special Features: Two drilled holes in head Material: Steel Material Specification: Qq-w-409, grade 5 federal specification single material response Thread Series Designator: Unc Specification Or Standard: 2 type and 5 grade Shelf Life:
Min. Tensile Strength (psi): 120000 pounds per square inch Hardness Rating: 23.0 rockwell c and 32.0 rockwell c Special Features: Two drilled holes in head Material: Steel Material Specification: Qq-w-409, grade 5 federal specification single material response Thread Series Designator: Unc Specification Or Standard: 2 type and 5 grade Shelf Life: N/a

No

## **NSN 5306-00-350-3015** Machine Bolt - Page 2 of 2



Fiig:

A003b0