## NSN 5306-00-374-6676

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-374-6676 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 1.750 inches **Fastener Length:** 5.516 inches **Head Style:** Hexagon **Head Height:** 0.500 inches Width Between Flats: 1.750 inches **Shoulder Diameter:** 1.373 inches first shoulder and 1.374 inches first shoulder **Shoulder Length:** 1.890 inches first shoulder **Shank Unthreaded Hole Diameter:** 0.250 inches first hole **Thread Diameter:** 1.250 inches Thready Qty Per Inch (tpi): 12 Hardness Rating: 35.0 rockwell c and 38.0 rockwell c Distance From Head Largest Bearing Surface To Shank Hole Center: 5.204 inches first hole **Shoulder Shape:** Round first shoulder **Special Features:** Undercut between head and shoulder 1.250 in. Diameter by 0.125 in. Lg; unthreaded portion between shoulder and threads is 1.751 in. Lg Material: Steel comp 3140 **Material Specification:** Sae assn standard single material response **Thread Series Designator:** 

--

Unf

N/a

Shelf Life:

**Unit Of Measure:** 

## NSN 5306-00-374-6676

Shoulder Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0