## NSN 5306-00-377-4123

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-377-4123 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.457 inches and 0.560 inches **Fastener Length:** Between 0.590 inches and 0.610 inches **Head Style:** Round w/wrench flats chamfered **Head Diameter:** Between 0.730 inches and 0.737 inches **Head Height:** Between 0.060 inches and 0.070 inches Width Between Flats: Between 0.310 inches and 0.330 inches **Shoulder Diameter:** 0.248 inches first shoulder and 0.250 inches first shoulder **Shoulder Length:** 0.050 inches first shoulder and 0.070 inches first shoulder **Thread Diameter:** 0.190 inches Thready Qty Per Inch (tpi): 32 **Shoulder Shape:** Round first shoulder **Special Features:** Two holes drilled through head 0.098 in. Min 0.103 in. Maximum dia, 0.520 in. C to c between bolt holes Material: Titanium alloy **Material Specification:** Ams 4928 assn standard single material response **Surface Treatment:** Anodize **Surface Treatment Specification:** Pwa 37 fscm 77445 mfr ref single treatment response **Thread Series Designator:** Unjf Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5306-00-377-4123

Shoulder Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0