## NSN 5306-00-377-4158

Shoulder Bolt - Page 1 of 2

**AeroBase** Group

View Online at https://aerobasegroup.com/nsn/5306-00-377-4158 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.750 inches and 0.842 inches **Fastener Length:** Between 11.000 inches and 11.020 inches **Head Style:** Hexagon **Head Height:** Between 0.125 inches and 0.140 inches Width Between Flats: Between 0.430 inches and 0.439 inches **Shoulder Diameter:** 0.264 inches first shoulder and 0.265 inches first shoulder **Shoulder Length:** 10.178 inches first shoulder **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 34.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch **Shoulder Shape:** Round first shoulder Material: Iron alloy 660 **Material Specification:** Ams 5731 assn standard single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Ams 2400 assn standard single treatment response **Thread Series Designator:** Unjf Shelf Life: N/a

## **NSN 5306-00-377-4158** Shoulder Bolt - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

Demilitarization:

No

Fiig:

A003b0