

View Online at <https://aerobasegroup.com/nsn/5306-00-401-4992>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.227 inches

Fastener Length:

0.562 inches

Head Style:

Hexagon

Head Height:

Between 0.172 inches and 0.204 inches

Width Between Flats:

Between 0.490 inches and 0.502 inches

Shoulder Diameter:

0.3112 inches first shoulder and 0.3117 inches first shoulder

Shoulder Length:

0.240 inches first shoulder and 0.250 inches first shoulder

Hole Diameter:

0.070 inches

Thread Diameter:

0.190 inches

Hole Quantity:

6

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

32

Hole Configuration Style:

Double hexagon flats

Criticality Code Justification:

Aatn

Shoulder Shape:

Round first shoulder

Material:

Steel comp 4140 or steel comp 8740 or steel comp 8630 or steel comp 8735 or steel comp 4130 or steel comp 4037

Material Specification:

Mil-s-5626 military specification 1st material response or mil-s-6049 military specification 2nd material response or mil-s-6050 military specification 3rd material response or mil-s-6098 military specification 4th material response or mil-s-6758 military specification 5th material response or ams 6300 assn standard 6th material response

Surface Treatment:

Cadmium

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.