NSN 5306-00-401-7699

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-401-7699 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.720 inches **Fastener Length:** 4.340 inches **Head Style:** Hexagon **Head Height:** 0.250 inches Width Between Flats: Between 1.052 inches and 1.064 inches **Shank Unthreaded Hole Diameter:** 0.139 inches first hole and 0.145 inches first hole **Thread Diameter:** 0.750 inches **Grip Length:** 3.620 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 280000 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 4.210 inches first hole Surface Finish: 32.0 microinches grip Material: Steel comp h11 **Material Specification:** Ams 6487 assn standard single material response **Surface Treatment:** Nickel Ds 30000, fscm 98897 mfr ref single treatment response

Surface Treatment Specification: Thread Series Designator: Unjf Shelf Life: N/a

NSN 5306-00-401-7699 Machine Bolt - Page 2 of 2



ı	In	iŧ.	Ωf	м	دما	CII	re:
•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		\sim	IVI	ca	Эu	ı c.

Demilitarization:

No

Fiig:

A003b0