## NSN 5306-00-469-3455

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-469-3455 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.313 inches **Fastener Length:** 2.250 inches **Head Style:** Hexagon **Head Height:** 0.188 inches Width Between Flats: 0.750 inches **Shoulder Diameter:** 0.495 inches first shoulder **Shoulder Length:** 1.687 inches first shoulder **Shank Unthreaded Hole Diameter:** 0.104 inches first hole **Thread Diameter:** 0.375 inches Thready Qty Per Inch (tpi): Distance From Head Largest Bearing Surface To Shank Hole Center: 2.156 inches first hole **Shoulder Shape:** Round first shoulder **Special Features:** Circumferential groove 1/8 in. W by 15/32 in. Diameter under head and circumferential groove 1/8 in. W by 19/64 in. Diameter between shoulder and threads Material: Steel **Material Specification:** Mil-s-853 military specification single material response **Surface Treatment:** Zinc **Thread Series Designator:** Unc

N/a

Shelf Life:

**Specification Or Standard:** 

A type and 3 class

## NSN 5306-00-469-3455

Shoulder Bolt - Page 2 of 2



	- : -	~	NA	
UI	nit	UΤ	Measure:	

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-853 spec.