

View Online at <https://aerobasegroup.com/nsn/5306-00-472-2838>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 1.017 inches and 1.067 inches

Fastener Length:

Between 3.402 inches and 3.432 inches

Head Style:

Hexagon

Head Height:

Between 0.328 inches and 0.360 inches

Width Between Flats:

Between 0.928 inches and 0.939 inches

End Application:

Ta-4j aircraft

Thread Diameter:

0.625 inches

Grip Length:

Between 2.365 inches and 2.385 inches

Features Provided:

Finished head

Thready Qty Per Inch (tpi):

18

Hardness Rating:

248.0 brinell standard and 341.0 brinell standard

Material:

Iron alloy 660

Material Specification:

Ams 5732 assn standard 1st material response or ams 5737 assn standard 1st material response or ams 5733 assn standard 2nd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

Thread Series Designator:

Unf

Specification Data:

80205-nas1010 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A003b0

Mil-std (military Standard):

Mil-s-5002 spec.