

View Online at <https://aerobasegroup.com/nsn/5306-00-479-0093>

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

Between 0.620 inches and 0.700 inches

Fastener Length:

4.160 inches

Head Style:

Dee chamfer

Head Diameter:

0.840 inches

Head Height:

0.200 inches

Distance From Centerline To Flat:

Between 0.290 inches and 0.300 inches

Shoulder Diameter:

0.386 inches first shoulder and 0.388 inches first shoulder

Shoulder Length:

3.380 inches first shoulder

Shank Unthreaded Hole Diameter:

0.094 inches first hole and 0.101 inches first hole

Thread Diameter:

0.375 inches

Thready Qty Per Inch (tpi):

24

Hardness Rating:

26.0 rockwell c and 32.0 rockwell c

Distance From Head Largest Bearing Surface To Shank Hole Center:

3.940 inches first hole and 3.950 inches first hole

Shoulder Shape:

Round first shoulder

Special Features:

Undercut in shank 1.700 under head 0.334 min 0.344 maximum dia

Material:

Steel comp 8740

Material Specification:

Ams 6322 assn standard single material response

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0