## NSN 5306-00-487-2514

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-487-2514 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.467 inches **Fastener Length:** Between 1.783 inches and 1.810 inches **Head Style:** Double hexagon **Head Height:** Between 0.177 inches and 0.197 inches Width Between Flats: 0.561 inches **Shank Unthreaded Hole Diameter:** 0.076 inches first hole and 0.081 inches first hole **Thread Diameter:** 0.312 inches **Grip Length:** Between 1.302 inches and 1.322 inches **Features Provided:** Unfinished head Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 11050 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 1.669 inches first hole and 1.686 inches first hole Material: Steel **Material Specification:** 76301-23-105, type 1 a mfr ref single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Mac ps13145, mcdonnell douglas corporation mfr ref single treatment response **Thread Series Designator:** Unjf Shelf Life: N/a

--

**Unit Of Measure:** 

## NSN 5306-00-487-2514

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0