NSN 5306-00-508-9379

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-508-9379 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.553 inches and 0.635 inches **Fastener Length:** Between 0.615 inches and 0.635 inches **Head Style:** Double hexagon extended washer **Head Height:** Between 0.248 inches and 0.268 inches Width Between Flats: 0.250 inches **Extended Washer Diameter:** Between 0.365 inches and 0.385 inches **Extended Washer Thickness:** Between 0.040 inches and 0.050 inches **Hole Diameter:** 0.070 inches **Thread Diameter:** 0.190 inches **Hole Quantity: Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 32 **Hole Configuration Style:** Hexagon flats **Surface Finish:** 32.0 microinches threads Material: Nickel alloy 718 **Material Specification:** C50tf13, cl b, fscm 07482 mfr ref single material response **Precious Material:** Silver

Silver

Surface Treatment:

NSN 5306-00-508-9379

Machine Bolt - Page 2 of 2



| Surface | Treatment | Specification | 'n. |
|---------|-----------|---------------|------|
| Juliace | HEALINGIL | Opecinication | ,,,, |

Ams 2410 assn standard single treatment response

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0