NSN 5306-00-514-6588

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-514-6588

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.750 inches and 0.810 inches
Fastener Length:
1.062 inches
Head Style:
Hexagon
Head Height:
Between 0.167 inches and 0.183 inches
Width Between Flats:
Between 0.430 inches and 0.439 inches
Hole Diameter:
0.065 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 0.252 inches and 0.312 inches
Hole Quantity:
1
•
Hole Type:
Hole Type: Drilled
Drilled
Drilled Features Provided:
Drilled Features Provided: Finished head
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi):
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi):
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating:
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 35.0 rockwell c
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 35.0 rockwell c Minimum Yield Strength:
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 35.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 35.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style:
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 35.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 35.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish:
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 35.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads
Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 130000 pounds per square inch Hardness Rating: 24.0 rockwell c and 35.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material:

NSN 5306-00-514-6588

Machine Bolt - Page 2 of 2



Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0