

View Online at <https://aerobasegroup.com/nsn/5306-00-524-4268>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 5.797 inches and 5.827 inches

Fastener Length:

Between 5.922 inches and 5.952 inches

Head Style:

Bevel-conical

Head Diameter:

Between 0.740 inches and 0.750 inches

Head Height:

0.407 inches

First Diameter From Head:

Between 0.433 inches and 0.436 inches

Second Diameter From Head:

Between 0.360 inches and 0.370 inches

Third Diameter From Head:

Between 0.433 inches and 0.436 inches

Distance From Largest Bearing Surface Of Head To End Of First Diameter:

1.250 inches

Distance From Largest Bearing Surface Of Head To End Of Second Diameter:

4.500 inches

Distance From Largest Bearing Surface Of Head To End Of Third Diameter:

5.125 inches

Internal Drive Style:

Hexagon

Thread Diameter:

0.438 inches

Width Across Flats:

Between 0.375 inches and 0.378 inches

Thready Qty Per Inch (tpi):

20

Min. Tensile Strength (psi):

160000 pounds per square inch

Material:

Steel comp e4340 or steel comp 4140

Surface Treatment:

Nickel and cadmium

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0