## NSN 5306-00-536-2808

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-536-2808 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.440 inches **Fastener Length:** 1.100 inches **Head Style:** Hexagon **Head Height:** 0.200 inches Width Between Flats: 0.750 inches **Shoulder Diameter:** 0.4950 inches first shoulder and 0.4970 inches first shoulder **Shoulder Length:** 0.600 inches first shoulder **Thread Diameter:** 0.375 inches Thready Qty Per Inch (tpi): 16 **Hardness Rating:** 217.0 brinell standard and 269.0 brinell standard **Shoulder Shape:** Round first shoulder **Special Features:** 30 degree chamfer both sides bolt head, 0.060 in. By 90 degrees chamfer thread end, 0.020 in. Radius at inside corner of head and at shoulder corner Material: Steel comp 1035 or steel comp 1536 or steel comp 1037 or steel comp 1038 or steel comp 1040 **Surface Treatment:** Cadmium and chromate or zinc and chromate **Surface Treatment Specification:** Qq-p-416, type 2 cl 3 federal specification 1st treatment response or qq-z-325 type 2 cl 2 federal specification 2nd treatment response **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** 

No

Demilitarization:

## **NSN 5306-00-536-2808** Shoulder Bolt - Page 2 of 2



Fiig:

A003b0