## NSN 5306-00-536-4167

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-536-4167 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.875 inches **Fastener Length:** Between 2.985 inches and 3.015 inches **Head Style:** Bevel-conical **Head Diameter:** Between 0.928 inches and 0.938 inches **Head Height:** 0.562 inches **Shank Unthreaded Hole Diameter:** 0.141 inches first hole and 0.151 inches first hole **Internal Drive Style:** Hexagon **Thread Diameter:** 0.562 inches Width Across Flats: Between 0.438 inches and 0.441 inches Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 160000 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 2.780 inches first hole Material: Steel comp 4140 **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416, type 1, cl 3 federal specification single treatment response **Thread Series Designator:** Unf Shelf Life: **Unit Of Measure:** 

N/a
Unit Of Measure:
-Demilitarization:

## NSN 5306-00-536-4167

Internal Wrenching Bolt - Page 2 of 2



Fiig:

A003b0