NSN 5306-00-543-5499

Machine Bolt - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5306-00-543-5499

| Thread Class: |
|---|
| 2a |
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 1.500 inches |
| Fastener Length: |
| Between 2.875 inches and 3.125 inches |
| Head Style: |
| Hexagon |
| Head Height: |
| Between 0.378 inches and 0.403 inches |
| Width Between Flats: |
| Between 0.906 inches and 0.937 inches |
| Thread Diameter: |
| 0.625 inches |
| Features Provided: |
| Finished head |
| Thready Qty Per Inch (tpi): |
| 11 |
| Min. Tensile Strength (psi): |
| 70000 pounds per square inch |
| Special Features: |
| Astm b98, astm-b99, or astm-b124, grade 651 |
| Material: |
| Copper alloy 651 |
| Material Specification: |
| Qq-c-591 federal specification single material response |
| Thread Series Designator: |
| Unc |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Filg: |
| A003b0 |
| Mil-std (military Standard): |
| Mil-dtl-1222j spec. |
| |
| |