NSN 5306-00-576-1032

Machine Bolt - Page 1 of 2



AeroBase Group

View Online at https://aerobasegroup.com/nsn/5306-00-576-1032

Thread Class: 2a Thread Direction: Right-hand Thread Length: 1.250 inches Fastener Length: Between 3.375 inches and 3.500 inches Head Style: Hexagon Head Height: Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi): 16
Thread Direction:Right-handThread Length:1.250 inchesFastener Length:Between 3.375 inches and 3.500 inchesHead Style:HexagonHead Height:Between 0.226 inches and 0.243 inchesWidth Between Flats:Between 0.551 inches and 0.562 inchesThread Diameter:0.375 inchesGrip Length:2.250 inchesFeatures Provided:Finished headThready Qty Per Inch (tpi):
Right-handThread Length:1.250 inchesFastener Length:Between 3.375 inches and 3.500 inchesHead Style:Head Style:HexagonHead Height:Between 0.226 inches and 0.243 inchesWidth Between Flats:Between 0.551 inches and 0.562 inchesThread Diameter:0.375 inchesGrip Length:2.250 inchesFeatures Provided:Finished headThready Qty Per Inch (tpi):
Thread Length:1.250 inchesFastener Length:Between 3.375 inches and 3.500 inchesHead Style:HexagonHead Height:Between 0.226 inches and 0.243 inchesWidth Between Flats:Between 0.551 inches and 0.562 inchesThread Diameter:0.375 inchesGrip Length:2.250 inchesFeatures Provided:Finished headThready Qty Per Inch (tpi):
1.250 inches Fastener Length: Between 3.375 inches and 3.500 inches Head Style: Hexagon Head Height: Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Fastener Length:Between 3.375 inches and 3.500 inchesHead Style:HexagonHead Height:Between 0.226 inches and 0.243 inchesWidth Between Flats:Between 0.551 inches and 0.562 inchesThread Diameter:0.375 inchesGrip Length:2.250 inchesFeatures Provided:Finished headThready Qty Per Inch (tpi):
Between 3.375 inches and 3.500 inches Head Style: Hexagon Head Height: Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Head Style: Hexagon Head Height: Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Hexagon Head Height: Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Head Height:Between 0.226 inches and 0.243 inchesWidth Between Flats:Between 0.551 inches and 0.562 inchesThread Diameter:0.375 inchesGrip Length:2.250 inchesFeatures Provided:Finished headThready Qty Per Inch (tpi):
Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Width Between Flats: Between 0.551 inches and 0.562 inches Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Between 0.551 inches and 0.562 inches Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Thread Diameter: 0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
0.375 inches Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Grip Length: 2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
2.250 inches Features Provided: Finished head Thready Qty Per Inch (tpi):
Features Provided: Finished head Thready Qty Per Inch (tpi):
Finished head Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi):
16
Min. Tensile Strength (psi):
120000 pounds per square inch
Hardness Rating:
23.0 rockwell c and 32.0 rockwell c
Material:
Steel
Material Specification:
Sae gr 5 assn standard single material response
Surface Treatment:
Zinc
Surface Treatment Specification:
Qq-z-325, type 2, cl 3 federal specification single treatment response
Thread Series Designator:
Unc
Specification Or Standard:
3 type and 5 grade
Shelf Life:
N/a
Unit Of Measure:

NSN 5306-00-576-1032

Machine Bolt - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-dtl-1222 spec.

