NSN 5306-00-579-2153

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-579-2153

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.954 inches
Fastener Length:
7.016 inches
Head Style:
Hexagon
Head Height:
Between 0.328 inches and 0.360 inches
Width Between Flats:
Between 0.928 inches and 0.940 inches
Hole Diameter:
0.070 inches
Thread Diameter:
0.625 inches
Grip Length:
0.062 inches
Hole Quantity:
1
Hole Type:
Drilled
Drilled
Drilled Features Provided:
Drilled Features Provided: Finished head
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi):
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi):
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating:
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style:
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Material:
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Material: Stainless steel
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Material: Stainless steel Material Specification:
Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Material: Stainless steel Material Specification: Qq-s-770 federal specification single material response
Prilled Features Provided: Finished head Thready Qty Per Inch (tpi): 18 Min. Tensile Strength (psi): 125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon flats Material: Stainless steel Material Specification: Qq-s-770 federal specification single material response Surface Treatment:

NSN 5306-00-579-2153

Machine Bolt - Page 2 of 2



-				
٠.	hΔ	Iŧ.	ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0