

View Online at <https://aerobasegroup.com/nsn/5306-00-588-7690>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 0.890 inches and 0.980 inches

**Fastener Length:**

Between 4.950 inches and 4.980 inches

**Head Style:**

Hexagon

**Head Height:**

0.280 inches

**Width Between Flats:**

Between 0.553 inches and 0.565 inches

**Shank Unthreaded Hole Diameter:**

0.068 inches first hole

**Thread Diameter:**

0.375 inches

**Grip Length:**

Between 4.000 inches and 4.060 inches

**Hole Quantity:**

3

**Hole Type:**

Drilled

**Features Provided:**

Finished head

**Thready Qty Per Inch (tpi):**

24

**Hardness Rating:**

32.0 rockwell c and 36.0 rockwell c

**Hole Configuration Style:**

Hexagon flats

**Surface Finish:**

63.0 microinches bearing surface of head

**Material:**

Steel comp 8640 or steel comp 8740

**Material Specification:**

Qq-s-624 federal specification all material responses

**Surface Treatment:**

Cadmium or zinc

**Surface Treatment Specification:**

Qq-p-416, type 1, cl 3 federal specification 1st treatment response or qq-z-325, type 1, cl 3 federal specification 2nd treatment response

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A003b0