

View Online at <https://aerobasegroup.com/nsn/5306-00-620-2912>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 0.437 inches and 0.516 inches

Fastener Length:

Between 0.765 inches and 0.812 inches

Head Style:

Hexagon

Head Height:

Between 0.140 inches and 0.172 inches

Width Between Flats:

Between 0.428 inches and 0.440 inches

Locking Feature:

Pellet threads

Thread Diameter:

0.250 inches

Grip Length:

Between 0.296 inches and 0.328 inches

Features Provided:

Finished head

Thready Qty Per Inch (tpi):

28

Material:

Steel comp 4140 fastener or steel comp 8740 fastener or steel comp 8630 fastener or steel comp 8735 fastener or steel comp 4130 fastener or steel comp 4037 fastener

Material Specification:

Mil-s-5626 military specification 1st material response fastener or mil-s-6049 military specification 2nd material response fastener or mil-s-6050 military specification 3rd material response fastener or mil-s-6098 military specification 4th material response fastener or mil-s-6758 military specification 5th material response fastener

Surface Treatment:

Cadmium fastener and chromate fastener

Surface Treatment Specification:

Qq-p-416 type 2 cl 2 federal specification single treatment response fastener

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.