NSN 5306-00-638-3021

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-638-3021

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
Between 0.875 inches and 0.938 inches
Fastener Length:
Between 0.969 inches and 1.031 inches
Head Style:
Hexagon
Head Height:
Between 0.226 inches and 0.243 inches
Width Between Flats:
Between 0.551 inches and 0.562 inches
Hole Diameter:
0.062 inches
Thread Diameter:
0.375 inches
Grip Length:
0.094 inches
Hole Quantity:
1
1 Hole Type:
•
Hole Type:
Hole Type: Drilled
Hole Type: Drilled Features Provided:
Hole Type: Drilled Features Provided: Finished head
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi):
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi):
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating:
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating: 91.0 rockwell b and 96.0 rockwell b
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating: 91.0 rockwell b and 96.0 rockwell b Hole Configuration Style:
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating: 91.0 rockwell b and 96.0 rockwell b Hole Configuration Style: Hexagon flats
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating: 91.0 rockwell b and 96.0 rockwell b Hole Configuration Style: Hexagon flats Material:
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating: 91.0 rockwell b and 96.0 rockwell b Hole Configuration Style: Hexagon flats Material: Steel
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating: 91.0 rockwell b and 96.0 rockwell b Hole Configuration Style: Hexagon flats Material: Steel Thread Series Designator:
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating: 91.0 rockwell b and 96.0 rockwell b Hole Configuration Style: Hexagon flats Material: Steel Thread Series Designator: Unc
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 95000 pounds per square inch Hardness Rating: 91.0 rockwell b and 96.0 rockwell b Hole Configuration Style: Hexagon flats Material: Steel Thread Series Designator: Unc Shelf Life:

NSN 5306-00-638-3021

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0