NSN 5306-00-638-3166

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-638-3166 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.537 inches **Fastener Length:** Between 2.173 inches and 2.203 inches **Head Style:** Bevel-conical **Head Diameter:** Between 0.521 inches and 0.531 inches **Head Height:** 0.312 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.312 inches Width Across Flats: Between 0.219 inches and 0.221 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 160000 pounds per square inch Material: Steel comp e4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 **Material Specification:** Mil-s-5000 military specification 1st material response or mil-s-5626 military specification 2nd material response or mil-s-6049 military specification 3rd material response or mil-s-8735 military specification 4th material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416 type 2 cl 2 federal specification single treatment response **Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:**

Fiig: A003b0

No

Demilitarization:

NSN 5306-00-638-3166

Internal Wrenching Bolt - Page 2 of 2



Mil-std (military Standard):

Mil-s-5000 spec.