NSN 5306-00-639-2404

Machine Bolt - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5506-00-659-2404
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.438 inches and 0.515 inches
Fastener Length:
Between 4.141 inches and 4.188 inches
Head Style:
Hexagon
Head Height:
Between 0.140 inches and 0.172 inches
Width Between Flats:
Between 0.428 inches and 0.440 inches
End Application:
Spec item
Thread Diameter:
0.250 inches
Grip Length:
Between 3.672 inches and 3.703 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
62000 pounds per square inch
Material:
Aluminum
Material Specification:
Qq-a-200 federal specification single material response or qq-a-225 federal specification single material response or qq-a-430 federal
specification single material response
Surface Treatment:
Oxide film and anodize
Surface Treatment Specification:
Mil-c-5541 military specification 1st treatment response and mil-a-8625 military specification 2nd treatment response
Thread Series Designator:
Jnf
Shelf Life:
N/a
Unit Of Measure:
Domilitarization:

No

NSN 5306-00-639-2404

Machine Bolt - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-c-5541 spec.