## NSN 5306-00-639-2413

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-639-2413

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.625 inches and 0.685 inches
Fastener Length:
1.500 inches
Head Style:
Hexagon
Head Height:
Between 0.146 inches and 0.166 inches
Width Between Flats:
Between 0.367 inches and 0.376 inches
Hole Diameter:
0.047 inches
End Application:
Spec item
Thread Diameter:
0.190 inches
Grip Length:
Between 0.815 inches and 0.875 inches
Hole Quantity:
1
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
125000 pounds per square inch
Hardness Rating:
26.0 rockwell c and 32.0 rockwell c
Hole Configuration Style:
Hexagon flats
Surface Finish:
63.0 microinches grip
Material:
Steel comp 8740
Material Specification:
Ams 6322 assn standard single material response

## **NSN 5306-00-639-2413** Machine Bolt - Page 2 of 2

A003b0



Surface Treatment:
Cadmium
Surface Treatment Specification:
Ams 2400 assn standard single treatment response
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: