## NSN 5306-00-639-2459

Machine Bolt - Page 1 of 2

**Thread Class:** 



View Online at https://aerobasegroup.com/nsn/5306-00-639-2459

3a
Thread Direction:
Right-hand
Thread Length:
Between 0.750 inches and 0.810 inches
Fastener Length:
4.375 inches
Head Style:
Hexagon
Head Height:
0.250 inches
Width Between Flats:
Between 0.430 inches and 0.439 inches
Hole Diameter:
0.062 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 3.565 inches and 3.625 inches
Hole Quantity:
6
Hole Type:
Hole Type: Drilled
Drilled
Drilled Features Provided:
Drilled  Features Provided: Finished head
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi):
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating:
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style:
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round  Surface Finish:
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round  Surface Finish: 63.0 microinches grip
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round  Surface Finish: 63.0 microinches grip  Material:
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round  Surface Finish: 63.0 microinches grip  Material: Steel comp 8740
Drilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round  Surface Finish: 63.0 microinches grip  Material: Steel comp 8740  Material Specification:
Prilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round  Surface Finish: 63.0 microinches grip  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response
Prilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round  Surface Finish: 63.0 microinches grip  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment:
Prilled  Features Provided: Finished head  Thready Qty Per Inch (tpi): 28  Hardness Rating: 26.0 rockwell c and 32.0 rockwell c  Hole Configuration Style: Round  Surface Finish: 63.0 microinches grip  Material: Steel comp 8740  Material Specification: Ams 6322 assn standard single material response  Surface Treatment: Cadmium

## NSN 5306-00-639-2459

Machine Bolt - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0