NSN 5306-00-655-6139

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-655-6139

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
6.000 inches
Fastener Length:
14.000 inches
Head Style:
Square
Head Height:
Between 0.400 inches and 0.444 inches
Width Between Flats:
Between 0.906 inches and 0.938 inches
Thread Diameter:
0.625 inches
Grip Length:
8.000 inches
Features Provided:
Unfinished head
Thready Qty Per Inch (tpi):
11
11 Min. Tensile Strength (psi):
••
Min. Tensile Strength (psi):
Min. Tensile Strength (psi): 55 pounds per square inch
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating:
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material:
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification:
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment:
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator:
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard:
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type Departure From Cited Designator:
Min. Tensile Strength (psi): 55 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type Departure From Cited Designator: As modified by thread length

--

NSN 5306-00-655-6139

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0