NSN 5306-00-660-1849

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-660-1849

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
2.000 inches
Fastener Length:
34.000 inches
Head Style:
Square
Head Height:
Between 0.476 inches and 0.524 inches
Width Between Flats:
Between 1.088 inches and 1.125 inches
Thread Diameter:
0.750 inches
Grip Length:
32.000 inches
Features Provided:
Unfinished head
Throady Oty Bor Inch (tni)
Thready Qty Per Inch (tpi):
10
10
10 Min. Tensile Strength (psi):
10 Min. Tensile Strength (psi): 55000 pounds per square inch
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type Shelf Life:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type Shelf Life: N/a

No

NSN 5306-00-660-1849Machine Bolt - Page 2 of 2



Fiig:

A003b0