NSN 5306-00-660-2350

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-660-2350

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
2.250 inches
Fastener Length:
30.000 inches
Head Style:
Square
Head Height:
Between 0.568 inches and 0.620 inches
Width Between Flats:
Between 1.269 inches and 1.312 inches
Thread Diameter:
0.875 inches
Grip Length:
27.750 inches
Features Provided:
Unfinished head
Thready Qty Per Inch (tpi):
Thready Qty Fer Inch (tpi).
9
9
9 Min. Tensile Strength (psi):
9 Min. Tensile Strength (psi): 55000 pounds per square inch
9 Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating:
9 Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b
9 Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material:
9 Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel
9 Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type Shelf Life:
Min. Tensile Strength (psi): 55000 pounds per square inch Hardness Rating: 95.0 rockwell b Material: Steel Material Specification: Sae gr 1 assn standard single material response Surface Treatment: Zinc Thread Series Designator: Unc Specification Or Standard: 1 type Shelf Life: N/a

No

NSN 5306-00-660-2350 Machine Bolt - Page 2 of 2



Fiig:

A003b0