

View Online at <https://aerobasegroup.com/nsn/5306-00-660-3136>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.505 inches

Fastener Length:

2.075 inches

Head Style:

Double hexagon w/hole

Head Height:

0.385 inches

Width Between Flats:

Between 0.865 inches and 0.877 inches

Extended Washer Diameter:

1.062 inches

Extended Washer Thickness:

0.090 inches

Shoulder Diameter:

0.8740 inches first shoulder and 0.8745 inches first shoulder

Shoulder Length:

1.570 inches first shoulder

Hole Diameter:

0.075 inches

Thread Diameter:

0.562 inches

Hole Quantity:

2

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

18

Min. Tensile Strength (psi):

180000 pounds per square inch

Hole Configuration Style:

Double hexagon longitudinal hole

Shoulder Shape:

Round first shoulder

Material:

Steel comp 4340

Material Specification:

Mil-s-5000 military specification single material response

Surface Treatment:

Nickel

Surface Treatment Specification:

Mil-n-26074 military specification single treatment response

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5000 spec.