

View Online at <https://aerobasegroup.com/nsn/5306-00-660-3136>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.505 inches

**Fastener Length:**

2.075 inches

**Head Style:**

Double hexagon w/hole

**Head Height:**

0.385 inches

**Width Between Flats:**

Between 0.865 inches and 0.877 inches

**Extended Washer Diameter:**

1.062 inches

**Extended Washer Thickness:**

0.090 inches

**Shoulder Diameter:**

0.8740 inches first shoulder and 0.8745 inches first shoulder

**Shoulder Length:**

1.570 inches first shoulder

**Hole Diameter:**

0.075 inches

**Thread Diameter:**

0.562 inches

**Hole Quantity:**

2

**Hole Type:**

Drilled

**Thready Qty Per Inch (tpi):**

18

**Min. Tensile Strength (psi):**

180000 pounds per square inch

**Hole Configuration Style:**

Double hexagon longitudinal hole

**Shoulder Shape:**

Round first shoulder

**Material:**

Steel comp 4340

**Material Specification:**

Mil-s-5000 military specification single material response

**Surface Treatment:**

Nickel

**Surface Treatment Specification:**

Mil-n-26074 military specification single treatment response

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A003b0

**Mil-std (military Standard):**

Mil-s-5000 spec.