## NSN 5306-00-685-1934

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-685-1934 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.235 inches and 0.245 inches **Fastener Length:** Between 0.455 inches and 0.505 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.178 inches and 0.183 inches **Head Height:** Between 0.108 inches and 0.112 inches **First Diameter From Head:** Between 0.093 inches and 0.117 inches **Second Diameter From Head:** Between 0.075 inches and 0.079 inches Distance From Largest Bearing Surface Of Head To End Of First Diameter: Between 0.020 inches and 0.025 inches Distance From Largest Bearing Surface Of Head To End Of Second Diameter: Between 0.075 inches and 0.079 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.112 inches Width Across Flats: Between 0.078 inches and 0.079 inches Thready Qty Per Inch (tpi): 40 Hardness Rating: 36.0 rockwell c and 42.0 rockwell c Material: Steel comp 416se **Surface Treatment:** Passivate **Thread Series Designator:** Unc Shelf Life: N/a

--

**Unit Of Measure:** 

## NSN 5306-00-685-1934

Internal Wrenching Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0