

NSN 5306-00-706-1528 Machine Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-706-1528 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.366 inches and 0.448 inches **Fastener Length:** Between 0.428 inches and 0.448 inches **Head Style:** Double hexagon w/hole **Head Height:** Between 0.240 inches and 0.260 inches Width Between Flats: Between 0.212 inches and 0.220 inches **Extended Washer Diameter:** 0.312 inches **Extended Washer Thickness:** Between 0.030 inches and 0.040 inches **Hole Diameter:** 0.047 inches **Thread Diameter:** 0.164 inches **Hole Quantity: Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi):

32

Hardness Rating:

26.0 rockwell c and 33.0 rockwell c

Hole Configuration Style:

Hexagon flats

Surface Finish:

63.0 microinches bearing surface of head

Material:

Iron alloy 660

Material Specification:

Ams 5735 assn standard single material response

Precious Material:

Silver

NSN 5306-00-706-1528

Machine Bolt - Page 2 of 2

A003b0



Surface Treatment:
Silver
Surface Treatment Specification:
Ams 2410 assn standard single treatment response
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: