NSN 5306-00-708-7727

Shoulder Bolt - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5306-00-708-7727

3a 3a Thread Direction: Right-hand Thread Length: 0.702 inches Fastener Length: Between 1.052 inches and 1.072 inches Head Style: Double hexagon extended washer Head Style: Botween 0.320 inches and 0.340 inches Width Between Flats: Between 0.320 inches and 0.313 inches Extended Washer Thickness: Between 0.428 inches and 0.448 inches Extended Washer Thickness: Between 0.428 inches and 0.310 inches first shoulder Shoulder Diameter: 0.3070 inches first shoulder and 0.310 inches first shoulder Shoulder Length: 0.3070 inches first shoulder and 0.310 inches first shoulder Thread Diameter: 0.3070 inches first shoulder and 0.350 inches first shoulder Thread Diamete: 0.320 inches Thready Qty Per Inch (pi): 28 Shoulder Shape: Round first shoulder Material: Stel comp 8740 Surface Treatment: Linf Material: Na	Thread Class:	
Thread Direction: Right-hand Thread Length: 0.702 inches Fastener Length: Between 1.052 inches and 1.072 inches Head Style: Double hexagon extended washer Head Height: Between 0.320 inches and 0.340 inches Head Height: Between 0.320 inches and 0.340 inches Kith Between Flats: Between 0.304 inches and 0.313 inches Extended Washer Thickness: Between 0.428 inches and 0.488 inches Extended Washer Thickness: Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.350 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.350 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.350 inches first shoulder Hread Diameter: 0.3070 inches first shoulder and 0.350 inches first shoulder Hread Diameter: 0.3070 inches Hereit Shoulder Hereit		
Right-hand Thread Length: 0.702 inches Fastener Length: Between 1.052 inches and 1.072 inches Head Style: Double hexagon extended washer Head Height: Between 0.320 inches and 0.340 inches Width Between Flats: Between 0.304 inches and 0.313 inches Extended Washer Diameter: Between 0.428 inches and 0.448 inches Extended Washer Thickness: Between 0.060 inches and 0.370 inches first shoulder Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.3070 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.3070 inches first shoulder and 0.350 inches first shoulder Shoulder Length: 0.3070 inches first shoulder and 0.350 inches first shoulder Shoulder Shape: Round first shoulder and 0.350 inches first shoulder Bateria: Stel comp 8740 Surface Treatment: Cadmiu Thread Series Designator: Unf Shelf Life: Na		
Tread Length: 0.702 inches Fastener Length: Between 1.052 inches and 1.072 inches Head Style: Double hexagon extended washer Head Height: Between 0.320 inches and 0.340 inches With Between Flats: Between 0.304 inches and 0.313 inches Extended Washer Diameter: Between 0.428 inches and 0.448 inches Extended Washer Thickness: Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3707 inches first shoulder and 0.310 inches first shoulder Shoulder Length: 0.3700 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thready Gty Per Inch (tpl): 28 Shoulder Shape: Round first shoulder Material: Stel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Na Juit of Measure: Na Fig:		
0.702 inchesFastener Length:Between 1.052 inches and 1.072 inchesHead Style:Double hexagon extended washerHead Height:Between 0.320 inches and 0.340 inchesWidth Between Flats:Between 0.304 inches and 0.313 inchesExtended Washer Diameter:Between 0.428 inches and 0.448 inchesExtended Washer Thickness:Between 0.600 inches and 0.070 inchesShoulder Diameter:0.3070 inches first shoulder and 0.3170 inches first shoulderShoulder Length:0.340 inches first shoulder and 0.350 inches first shoulderThread Diameter:0.250 inchesShoulder Shape:Round first shoulderMaterial:Steel comp 8740Surface Treatment:UnfShell Life:NaUnit Of Measure:NaNaFig:NaFig:	·	
Fastener Length:Between 1.052 inches and 1.072 inchesHead Style:Double hexagon extended washerHead Height:Between 0.320 inches and 0.340 inchesWidth Between Flats:Between 0.304 inches and 0.313 inchesExtended Washer Diameter:Between 0.428 inches and 0.448 inchesExtended Washer Thickness:Between 0.600 inches and 0.070 inches first shoulderShoulder Diameter:0.3070 inches first shoulder and 0.3170 inches first shoulderShoulder Length:0.3070 inches first shoulder and 0.350 inches first shoulderThread Diameter:0.320 inches17hread Diameter:0.320 inches17hread Diameter:0.320 inches18hreit Length:19hreit Length:19hreit Length:19hreit Shoulder and 0.350 inches first shoulder19hreit Length:19hreit Shoulder and 0.350 inches first shoulder10hreit Length:19hreit Shoulder10hreit Shoulder10hreit Shoulder10hreit Shoulder10hreit Shoulder10hreit Shoulder10hreit Life:10hr10hr11hreit Life:11hr12hreit Shoulder11hr12hr12hr12hr12hr12hr12hr12hr12hr12hr12hr12hr12hr12hr12hr12hr12hr12hr </th <th></th> <th></th>		
Between 1.052 inches and 1.072 inches Head Style: Double hexagon extended washer Head Height: Between 0.320 inches and 0.340 inches Width Between Flats: Between 0.304 inches and 0.313 inches Extended Washer Diameter: Between 0.428 inches and 0.448 inches Extended Washer Thickness: Between 0.600 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.3070 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Boulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Material: Na Dirt of Measure: Via Dirt of Measure: Na Dirt of Measure: Fig:		
Head Style:Double hexagon extended washerHead Height:Between 0.320 inches and 0.340 inchesWidth Between Flats:Between 0.304 inches and 0.313 inchesExtended Washer Diameter:Between 0.428 inches and 0.448 inchesExtended Washer Thickness:Between 0.600 inches and 0.070 inchesShoulder Diameter:0.3070 inches first shoulder and 0.3170 inches first shoulderShoulder Length:0.340 inches first shoulder and 0.350 inches first shoulderThread Diameter:0.250 inchesThready Qty Per Inch (tpi):28Shoulder Shape:Round first shoulderMaterial:Steel comp 8740Surface Treatment:CadmiumInfread Series Designator:UnfNaUnit Of Measure:NaNaFig:NaFig:		
Double hexagon extended washerHead Height:Between 0.320 inches and 0.340 inchesWidth Between Flats:Between 0.304 inches and 0.313 inchesExtended Washer Diameter:Between 0.428 inches and 0.448 inchesExtended Washer Thickness:Between 0.060 inches and 0.070 inchesShoulder Diameter:0.3070 inches first shoulder and 0.3170 inches first shoulderShoulder Length:0.340 inches first shoulder and 0.350 inches first shoulderThread Diameter:0.250 inchesThready Qty Per Inch (tpi):28Shoulder Shape:Round first shoulderMaterial:Steel comp 8740Surface Treatment:CadmiumThread Series Designator:UnfNaUnit Of Measure:NaNaFig:NaFig:		
Head Heigh:Between 0.320 inches and 0.340 inchesWidth Between Flats:Between 0.304 inches and 0.313 inchesExtended Washer Diameter:Between 0.428 inches and 0.448 inchesExtended Washer Thickness:Between 0.060 inches and 0.070 inchesShoulder Diameter:0.3070 inches first shoulder and 0.3170 inches first shoulderShoulder Length:0.340 inches first shoulder and 0.350 inches first shoulderThread Diameter:0.250 inchesThready Qty Per Inch (tpi):28Shoulder Shape:Round first shoulderMaterial:Steel comp 8740Surface Treatment:CadmiumInfe Steils Designator:UnfShalf Life:N/aDinf Of Measure:Permilitarization:NoFig:		
Between 0.320 inches and 0.340 inches Width Between Flats: Between 0.304 inches and 0.313 inches Extended Washer Diameter: Between 0.428 inches and 0.448 inches Extended Washer Diameter: Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.310 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Inread Diameter: 0.350 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Inread Series Designator: Unf Shelf Life: N/a Unit of Measure: - Tomilitarization: No Fig:		
Width Between Flats: Between 0.304 inches and 0.313 inches Extended Washer Diameter: Between 0.428 inches and 0.448 inches Extended Washer Thickness: Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Between 0.304 inches and 0.313 inches Extended Washer Diameter: Between 0.428 inches and 0.448 inches Extended Washer Thickness: Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.350 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Extended Washer Diameter: Between 0.428 inches and 0.448 inches Extended Washer Thickness: Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.350 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Between 0.428 inches and 0.448 inches Extended Washer Thickness: Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thread Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Sheif Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Extended Washer Thickness: Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Between 0.060 inches and 0.070 inches Between 0.060 inches and 0.070 inches Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Shoulder Diameter: 0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
0.3070 inches first shoulder and 0.3170 inches first shoulder Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Shoulder Length: 0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No		
0.340 inches first shoulder and 0.350 inches first shoulder Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Thread Diameter: 0.250 inches Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No		
Thready Qty Per Inch (tpi): 28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No		
28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No	0.250 inches	
28 Shoulder Shape: Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No	Thready Qty Per Inch (tpi):	
Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Cadmium Unf Shelf Life: N/a Unit Of Measure: Fig:		
Round first shoulder Material: Steel comp 8740 Surface Treatment: Cadmium Cadmium Unf Shelf Life: N/a Unit Of Measure: Fig:	Shoulder Shape:	
Steel comp 8740 Surface Treatment: Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:		
Surface Treatment:CadmiumThread Series Designator:UnfShelf Life:N/aUnit Of Measure:Demilitarization:NoFiig:	Material:	
Cadmium Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Steel comp 8740	
Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Surface Treatment:	
Unf Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Cadmium	
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Thread Series Designator:	
N/a Unit Of Measure: Demilitarization: No Fiig:	Unf	
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:	
 Demilitarization: No Fiig:	N/a	
Demilitarization: No Fiig:	Unit Of Measure:	
No Fiig:		
Fiig:	Demilitarization:	
-	No	
A003b0	Fiig:	
	A003b0	