

View Online at <https://aerobasegroup.com/nsn/5306-00-733-9239>

Thread Class:

3a

Thread Direction:

Left-hand

Thread Length:

1.156 inches

Fastener Length:

2.469 inches

Head Style:

Flat chamfer

Head Diameter:

Between 1.310 inches and 1.370 inches

Head Height:

0.312 inches

Shoulder Diameter:

0.840 inches first shoulder

Shoulder Length:

0.906 inches first shoulder

Rib Major Diameter:

0.875 inches

Rib Length:

Between 0.625 inches and 0.687 inches

Distance From Largest Diameter Of Bearing Surface Of Head To Ribs:

0.125 inches

Rib Minor Diameter:

0.840 inches

Rib Quantity:

31

Thread Diameter:

0.750 inches

Features Provided:

Casehardened

Thready Qty Per Inch (tpi):

16

Hardness Rating:

300.0 brinell standard and 350.0 brinell standard

Shoulder Shape:

Round first shoulder

Material:

Steel comp 8640 or steel comp 8740 or steel comp 3135 or steel comp 4140 or steel comp 4135

Surface Treatment:

Cadmium or zinc

Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification 1st treatment response or qq-z-325, type 2, cl 3 federal specification 2nd treatment response

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0