## NSN 5306-00-753-4496

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-753-4496 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 1.000 inches **Fastener Length:** 2.250 inches **Head Style:** Hexagon **Head Height:** 0.500 inches Width Between Flats: 1.125 inches **Shoulder Diameter:** 0.906 inches first shoulder **Shoulder Length:** 1.000 inches first shoulder **Thread Diameter:** 0.750 inches Thready Qty Per Inch (tpi): 10 Min. Tensile Strength (psi): 120000 pounds per square inch Minimum Yield Strength: 105000 pounds per square inch **Shoulder Shape:** Round first shoulder **Product Name:** Navy special project **Special Features:** Undercut between head and shoulder 0.750 in. Diameter by 0.125 in. W, thread relief 0.609 in. Diameter by 0.125 in. W Material: Steel or steel comp 4140 **Material Specification:** Mil-s-890 al-2 military specification 1st material response or aisi assn standard 2nd material response **Thread Series Designator:** Unc Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5306-00-753-4496

Shoulder Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-890 spec.