## NSN 5306-00-768-7655

Machine Bolt - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5306-00-768-7655



#### Thread Class:

1a

**Thread Direction:** 

**Right-hand** 

#### Thread Length:

Between 0.792 inches and 0.875 inches

## Fastener Length:

0.875 inches

#### Head Style:

Double hexagon w/hole

#### Head Height:

0.422 inches

Width Between Flats:

Between 0.430 inches and 0.439 inches

## **Extended Washer Diameter:**

0.562 inches

## **Extended Washer Thickness:**

Between 0.090 inches and 0.100 inches

Hole Diameter:

0.062 inches

End Application:

Spec item

#### Thread Diameter:

0.375 inches

## Hole Quantity:

3

#### Hole Type:

Drilled

#### **Features Provided:**

Finished head

#### Thready Qty Per Inch (tpi):

24

## Min. Tensile Strength (psi):

130000 pounds per square inch

## Hardness Rating:

248.0 brinell standard and 341.0 brinell standard

## Minimum Yield Strength:

85000 pounds per square inch

## Hole Configuration Style:

Hexagon flats

Surface Finish:

63.0 microinches grip

# NSN 5306-00-768-7655

Machine Bolt - Page 2 of 2

Material:

Steel comp 416

Material Specification:

Astm a582 assn standard single material response

**Thread Series Designator:** 

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

