## NSN 5306-00-781-1281

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-781-1281

Thr	read Class:
3a	
Th	read Direction:
Rig	ht-hand
Th	read Length:
0.2	700 inches
Fas	stener Length:
Bet	ween 0.805 inches and 0.815 inches
Неа	ad Style:
Fla	t chamfer
Hea	ad Diameter:
Bet	ween 0.303 inches and 0.312 inches
Hea	ad Height:
Bet	ween 0.185 inches and 0.190 inches
Fire	st Diameter From Head:
Bet	ween 0.184 inches and 0.190 inches
Sec	cond Diameter From Head:
Bet	ween 0.145 inches and 0.150 inches
Dis	stance From Largest Bearing Surface Of Head To End Of First Diameter:
Bet	ween 0.015 inches and 0.025 inches
Dis	stance From Largest Bearing Surface Of Head To End Of Second Diameter:
0.5	25 inches
Inte	ernal Drive Style:
He	xagon
Th	read Diameter:
0.1	90 inches
Wio	dth Across Flats:
Bet	tween 0.156 inches and 0.159 inches
Thr	ready Qty Per Inch (tpi):
32	
Ma	terial:
Ste	el comp 302 or steel comp 303 or steel comp 304 or steel comp 305 or steel comp 316
Ma	terial Specification:
66	federal standard all material responses
Thr	read Series Designator:
Unf	f
She	elf Life:
N/a	i
Uni	it Of Measure:
Dei	militarization:
No	

## NSN 5306-00-781-1281

Internal Wrenching Bolt - Page 2 of 2

Fiig: A003b0

