

View Online at <https://aerobasegroup.com/nsn/5306-00-792-7500>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 1.083 inches and 1.103 inches

**Fastener Length:**

Between 7.391 inches and 7.437 inches

**Head Style:**

Hexagon

**Head Height:**

Between 0.390 inches and 0.422 inches

**Width Between Flats:**

Between 1.053 inches and 1.066 inches

**Thread Diameter:**

0.750 inches

**Grip Length:**

Between 6.297 inches and 6.327 inches

**Features Provided:**

Finished head

**Thready Qty Per Inch (tpi):**

16

**Min. Tensile Strength (psi):**

125000 pounds per square inch

**Hardness Rating:**

26.0 rockwell c and 32.0 rockwell c

**Material:**

Steel

**Material Specification:**

Mil-s-5626 military standard single material response or mil-s-6049 military standard single material response or mil-s-6050 military standard single material response or mil-s-6098 military standard single material response or mil-s-6758 military standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, ty2, cl3 federal specification single treatment response

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A003b0

**Mil-std (military Standard):**

Mil-s-5626 spec.