NSN 5306-00-794-7708

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-794-7708 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.470 inches **Fastener Length:** 1.778 inches **Head Style:** Dee chamfer **Head Diameter:** 1.000 inches **Head Height:** 0.180 inches **Distance From Centerline To Flat:** Between 0.360 inches and 0.400 inches **Shoulder Diameter:** 0.499 inches first shoulder **Shoulder Length:** 1.338 inches first shoulder **Shank Unthreaded Hole Diameter:** 0.106 inches first hole and 0.116 inches first hole **Thread Diameter:** 0.375 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 180000 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 1.658 inches first hole **Shoulder Shape:** Round first shoulder Material: Steel comp 4140 **Material Specification:** Mil-s-5626 cond c-4 military specification single material response **Thread Series Designator:** Unf Shelf Life:

N/a

Unit Of Measure:

NSN 5306-00-794-7708

Shoulder Bolt - Page 2 of 2



_					
11	em)	 tor	172	n	

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.