## NSN 5306-00-804-3910



Machine Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-804-3910 **Thread Class:** 

За **Thread Direction:** Right-hand Thread Length: Between 0.578 inches and 0.698 inches **Fastener Length:** Between 0.678 inches and 0.698 inches **Head Style:** Double hexagon w/hole **Head Height:** Between 0.320 inches and 0.340 inches Width Between Flats: Between 0.304 inches and 0.313 inches **Extended Washer Diameter:** Between 0.428 inches and 0.448 inches **Extended Washer Thickness:** Between 0.060 inches and 0.070 inches **Hole Diameter:** 0.070 inches **Thread Diameter:** 0.250 inches **Grip Length:** 0.100 inches **Hole Quantity:** 4 **Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi):

Hardness Rating:

26.0 rockwell c and 32.0 rockwell c

**Hole Configuration Style:** 

Double hexagon longitudinal hole

**Surface Finish:** 

32.0 microinches threads

Material:

Steel comp 8740

**Material Specification:** 

Ams 6322 assn standard single material response

## **NSN 5306-00-804-3910**Machine Bolt - Page 2 of 2

A003b0



Surface Treatment:
Cadmium
Surface Treatment Specification:
Ams 2400 assn standard single treatment response
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: