NSN 5306-00-811-0332

Machine Bolt - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5306-00-811-0332

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.540 inches and 0.620 inches
Fastener Length:
Between 1.180 inches and 1.200 inches
Head Style:
Hexagon
Head Height:
Between 0.302 inches and 0.322 inches
Width Between Flats:
Between 0.865 inches and 0.877 inches
Thread Diameter:
0.562 inches
Grip Length:
Between 0.580 inches and 0.640 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 18
18
18 Hardness Rating:
18 Hardness Rating: 24.0 rockwell c and 36.0 rockwell c
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength:
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material:
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification:
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification: Ams 5732 assn standard single material response
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification: Ams 5732 assn standard single material response Thread Series Designator:
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification: Ams 5732 assn standard single material response Thread Series Designator: Unf
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification: Ams 5732 assn standard single material response Thread Series Designator: Unf Shelf Life:
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification: Ams 5732 assn standard single material response Thread Series Designator: Unf Shelf Life: N/a
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification: Ams 5732 assn standard single material response Thread Series Designator: Unf Shelf Life: N/a
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification: Ams 5732 assn standard single material response Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure:
Hardness Rating: 24.0 rockwell c and 36.0 rockwell c Minimum Yield Strength: 85000 pounds per square inch Material: Iron alloy 660 Material Specification: Ams 5732 assn standard single material response Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure: Demilitarization: