NSN 5306-00-820-8109

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-820-8109

Thread	Class
meau	UIASS .

3a

Thread Direction:

Right-hand

Thread Length:

0.544 inches

Fastener Length:

2.669 inches

Head Style:

Hexagon

Head Height:

0.156 inches

Width Between Flats:

Between 0.430 inches and 0.439 inches

Thread Diameter:

0.250 inches

Grip Length:

2.125 inches

Features Provided:

Finished head

Thready Qty Per Inch (tpi):

28

Min. Tensile Strength (psi):

140000 pounds per square inch

Special Features:

Tensile strength at room temperature

Material:

Iron alloy 660 or steel comp 630

Material Specification:

Ams 5732 assn standard 1st material response or ams 5737 assn standard 1st material response or ams 5733 assn standard 2nd material

response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5306-00-820-8109

Machine Bolt - Page 2 of 2

Fiig: A003b0

Mil-std (military Standard):

Mil-s-5002 spec.

