## NSN 5306-00-845-9109

Machine Bolt - Page 1 of 2

Between 0.366 inches and 0.428 inches

Between 0.428 inches and 0.448 inches

**Thread Direction:** 

Thread Length:

Fastener Length:

Double hexagon w/hole

**Head Style:** 

**Head Height:** 

Right-hand



View Online at https://aerobasegroup.com/nsn/5306-00-845-9109

Between 0.250 inches and 0.270 inches
Width Between Flats:
Between 0.243 inches and 0.251 inches
Extended Washer Diameter:
Between 0.365 inches and 0.385 inches
Extended Washer Thickness:
Between 0.040 inches and 0.050 inches
Hole Diameter:
0.047 inches
Thread Diameter:
0.190 inches
Hole Quantity:
3
Hole Type:
Drilled
Features Provided:
Finished head
Nonstandard Thread Pitch Diameter:
Nonstandard Thread Pitch Diameter: +0.1644/+0.1667 inches
+0.1644/+0.1667 inches
+0.1644/+0.1667 inches Thready Qty Per Inch (tpi):
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi): 32
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi):  32  Hardness Rating:
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi): 32  Hardness Rating: 26.0 rockwell c and 33.0 rockwell c
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi):  32  Hardness Rating:  26.0 rockwell c and 33.0 rockwell c  Hole Configuration Style:
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi):  32  Hardness Rating:  26.0 rockwell c and 33.0 rockwell c  Hole Configuration Style:  Double hexagon longitudinal hole
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi):  32  Hardness Rating:  26.0 rockwell c and 33.0 rockwell c  Hole Configuration Style:  Double hexagon longitudinal hole  Material:
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi): 32  Hardness Rating: 26.0 rockwell c and 33.0 rockwell c  Hole Configuration Style:  Double hexagon longitudinal hole  Material:  Iron alloy 660
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi):  32  Hardness Rating: 26.0 rockwell c and 33.0 rockwell c  Hole Configuration Style:  Double hexagon longitudinal hole  Material:  Iron alloy 660  Material Specification:
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi):  32  Hardness Rating:  26.0 rockwell c and 33.0 rockwell c  Hole Configuration Style:  Double hexagon longitudinal hole  Material:  Iron alloy 660  Material Specification:  Ams 5732 assn standard single material response
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi):  32  Hardness Rating: 26.0 rockwell c and 33.0 rockwell c  Hole Configuration Style:  Double hexagon longitudinal hole  Material:  Iron alloy 660  Material Specification:  Ams 5732 assn standard single material response  Surface Treatment:
+0.1644/+0.1667 inches  Thready Qty Per Inch (tpi): 32  Hardness Rating: 26.0 rockwell c and 33.0 rockwell c  Hole Configuration Style:  Double hexagon longitudinal hole  Material: Iron alloy 660  Material Specification:  Ams 5732 assn standard single material response  Surface Treatment: Silver

## NSN 5306-00-845-9109

Machine Bolt - Page 2 of 2



<b>Thread Series Designator:</b>
Unf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0